

# **MATERIAL SAFETY DATA SHEET**

STACOAT - Ultimate Stables Paint - High Performance - Equestrian

Date 2025-03-11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name STACOAT - Ultimate Stables Paint - High Performance

Product code EVESTACOAT

### 1.3. Details of the supplier of the safety data sheet

Company Jarvis Industries Limited

Address Walkers Industrial Park, Ollerton Road, Tuxford

Nottinghamshire, NG22 OPQ

Website www.everestpaints.com

Telephone 0800 043 8220

Email contact@everestpaints.com

### 1.4. Emergency telephone number

Emergency telephone 0800 043 8220

number 9am - 4pm Monday - Friday

#### **SECTION 2: Hazards identification**

Based on available information, not classified as hazardous: NON-HAZARDOUS

Poisons schedule None Allocated.

# SECTION 3: Composition/information on ingredients

### Components CAS number proportion risk phrases

Components	CAS number	Proportions	Risk phrases
Pigments	-	30-60%	-
Water	7732-18-5	30-60%	-
Synthetic Polymer{s}	-	30-60%	-

Ingredients determined not to be hazardous	-	To 100%	-		
SECTION 4: First aid me	SECTION 4: First aid measures				
Inhalation	Remove victim from area of exposure - avoid becoming a casualty.  Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.				
Skin contact	If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.				
Eye contact	-	nediately with water. In a nsible precaution to seek	-		
Ingestion	Rinse mouth with water. If swallowed, give water to drink. Seek medical advice.				
Medical attention and special treatment	Treat symptomatically.				
SECTION 5: Firefighting measures					
Hazards from combustion products	Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. On burning will emit toxic fumes.				
Precautions for firefighters and special protective equipment	Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.				
Suitable extinguishing media	Not combustible, however, if material is involved in a fire use: Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).				
SECTION 6: Accidental	release measures				
Emergency procedures	If contamination of sew emergency services.	ers or waterways has occ	urred advise local		
Methods and materials for containment and clean up	immediately. Collect in waste collection. LARGI clean up immediately. C waterways. Use absorbe	y when wet. Avoid accide a container for disposal v E SPILLS: Slippery when Contain - prevent run off i ent (soil, sand or other inc elled containers or drums	ria special chemical spilt. Avoid accidents, nto drains and ert material). Collect		
SECTION 7: Handling a	nd storage				
Conditions for safe storage	Store in cool place and o when not in use - check	out of direct sunlight. Kee regularly for leaks.	ep containers closed		

Precautions for safe	Keep out of reach of children. Avoid eye contact & repeated or prolonged		
handling	skin contact.		
SECTION 8: Exposure control/personal protection			
Occupational exposure limits	No value assigned for this specific material by the National Occupational Health and Safety Commission.		
Engineering controls	Provide adequate ventilation. If using indoors, keep windows and doors		
	open during use. Keep containers closed when not in use.		
Personal protective equipment	The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors. Personal Protection: B - OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES. MANUFACTURE, PACKAGING AND TRANSPORT: Wear overalls, safety glasses and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. If there is a risk of eye contact and repeated or prolonged skin contact wear gloves and safety glasses. Wash hands after use		
SECTION 9: Physical an	d chemical properties		
Physical state	Viscous liquid		
Colour	Coloured		
Odour	Bland		
Solubility	Miscible with water.		
Specific gravity	1.0-1.7 @20°C		
Relative vapor density (air=1)	Not available		
Vapour pressure (20 °c)	Not available		
Flash point (°C)	Not applicable		
Flammability limits (%)	Not applicable		
Autoignition temperature (°C)	Not applicable		
% Volatile by weight	Not available		
Solubility in water (g/L)	Miscible		
Melting point/range (°c)	Not applicable		

Boiling point/range (°C)	100 (water)			
Decomposition point (°c)	Not available			
рН	8-10			
Viscosity	Not available			
Evaporation rate	Not available			
SECTION 10: Stability and reactivity				
Chemical stability	Stable under normal conditions of use.			
Conditions to avoid	Avoid contact with foodstuffs.			
Incompatible materials	Incompatible with oxidising agents.			
Hazardous decomposition products	Oxides of carbon.			
Hazardous reactions	None known.			
SECTION 11: Toxicological information				
No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or the effects that may arise if the product is mishandled & overexposure occurs are:				
Ingestion	No adverse effects expected, however, large amounts may cause nausea and vomiting.			
Eye contact	May be an eye irritant.			
Skin contact	Contact with skin may result in irritation			
Inhalation				
	Where this material is used in a poorly ventilated area, at elevated temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea.			
Long term effects	temperatures or in confined spaces, vapour may cause irritation to			
	temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea.			
Long term effects	temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea.  No information available for the product.  No data available for the product.			
Long term effects Toxicological data	temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea.  No information available for the product.  No data available for the product.			
Long term effects  Toxicological data  SECTION 12: Ecological	temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea.  No information available for the product.  No data available for the product.  al information  Avoid contaminating waterways.			

	empty paint containers via domestic recycling programs may differ between local authorities. Check with your local council first. For large quantities: Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site.	
SECTION 14: Transport information		
Road and rail transport: Road and Rail; NON-DANGEROUS GOODS		
Marine transport: Transport by sea; NON-DANGEROUS GOODS.		
Air transport: Transport by air; NON-DANGEROUS GOODS.		
SECTION 15: Regulatory information		
Classification	Based on available information, not classified as hazardous NON-HAZARDOUS.	
Poisons schedule	None allocated.	
SECTION 16: Other information		

This safety data sheet has been prepared by Everest Trade Paints

Reason(s) for issue